CLAIMS

- 1. A compound which is selected from
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-10 propionic acid
 - 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohexylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-propionic acid
 - $3-\{4-[1-(4-cyclohexylcyclohexyl)-3-(3-bromophenyl)ure idomethyl] benzoylamino\} propionic acid$
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-30 propionic acid
 - 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoylamino}-propionic acid
- 35 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
 - $3-\{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-5-cyanophenyl) ure idomethyl] benzoylamino\} propionic acid$
- 40 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohex1-enylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid
- 50
 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-5 propionic acid
 - 3-{4-[1-(4-cyclohexylphenyl)-3-(3-tert-butylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohexylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid
 - $3-\{4-[1-(4-cyclohexylcyclohexyl)-3-(3-iodophenyl)ure idomethyl] benzoylamino\} propionic\ acid\ acid\$
- 35 3-{4-[1-(4-cyclohexylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid
 - $3-\{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-iodophenyl)ure idomethyl] benzoylamino\} propionic\ acid\ acid$
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfony-4-butoxyphenyl)ureidomethyl]benzoyl-40 amino}propionic acid
 - 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfony-4-butoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfony-4-butoxyphenyl)ureidomethyl]benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid
- 50
 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]benzoylamino}propionic acid
 - 3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylphenyl)ureidomethylbenzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]-benzoylamino}propionic acid
 - $3-\{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylcyclohexyl) ure idomethylben zoylamino\}-propionic acid$
- 15
 3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohex-1-enylphenyl)ureidomethylbenzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}-20 propionic acid
 - $3-\{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoylphenyl) ureidomethyl] benzoylamino\} propionic acid$
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}-propionic acid
 - 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)-ureidomethyl]benzoylamino}propionic acid
- 45
 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-50 methyl]benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)-ureidomethyl]benzoylamino}propionic acid
 - $3-\{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1\textit{H}-isoindol-5-yl)ureidomethyl]benzoylamino\}propionic acid$
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohexylphenyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohex-1-enylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoyl-20 amino}propionic acid
 - $3-\{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohexylphenyl) ure idomethyl] benzoylamino\} propionic\ acid\ acid\ benzoylamino\} propionic\ acid\ acid\ benzoylamino\} propionic\ acid\ acid\$
- 3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
 - $3-\{4-[1-(4-cyclohexylcyclohexyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ure idomethyl]-benzoylamino\} propionic acid$
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]-40 benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohexylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid
 - $3-\{4-[1-(4-cyclohexylphenyl)-3-(3-benzothiazol-2-yl-4-trifluoromethoxyphenyl) ure idomethyl]-benzoylamino\} propionic acid$
- 50
 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid 3-{4-[1-(4-cyclohexyphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-propionic acid
 - 3-{4-[1-(4-cyclohexylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid

30

- $3-\{4-[1-(4-cyclohexyl)-3-(3,5-difluorophenyl)ure idomethyl] benzoylamino\} propionic acid$
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
 - $3-\{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino\} propionic acid$
 - 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-20 propionic acid
 - 3-{4-[1-(4-cyclohexylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohexylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
 - $3-\{4-[1-(4-cyclohexylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl] benzoylamino\} propionic acid$
 - 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(4-fluro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-50 benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-fluro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid

30

- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-5 propionic acid
 - 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
 - $3-\{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromobenzothiazol-2-yl)ure idomethyl] benzoylamino\}-propionic acid$
 - 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohexylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-f]benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-f]benzothiazol-2-yl)-ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,6-(tetrafluoroethylenedioxo)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-(tetrafluoroethylenedioxo)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-(tetrafluoroethylenedioxo)benzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]-50 benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid

30

35

45

- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
 - $3-\{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl] benzoylamino\} propionic acid$
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureido-20 methyl]benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-tert-butylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohexylphenyl)-3-(5-tert-butylbenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
 - $3-\{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-methylphenyl) ureidomethyl] benzoylamino\} propionic acid$
 - 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic acid
 - $3-\{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylthiophenyl)ure idomethyl] benzoylamino\} propionic acid$
 - 3-{4-[1-(4-cyclohexylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid

25

30

40

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}-propionic acid
 - 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}-propionic acid
 - 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-15 propionic acid
 - $3-\{4-[1-(4-cyclohexylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureidomethyl] benzoylamino\} propionic acid$
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureido-methyl]benzoylamino}propionic acid
 - $3-\{4-[1-(4-cyclohexylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl) ureidomethyl] benzoylamino\} propionic acid$
 - $3-\{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl) ureidomethyl] benzoylamino\} propionic acid$
 - 3-{4-[1-(4-cyclohexylphenyl)-3-(3-(2-methyl-2*H*-tetrazol-5-yl)phenyl)ureidomethyl]benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-(2-methyl-2*H*-tetrazol-5-yl)phenyl)ureidomethyl]-benzoylamino}propionic acid
- 35 3-{4-[3-(3-cyano-5-trifluoromethylphenyl)-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoylamino}propionic acid
 - or any optical or geometric isomer or tautomeric form thereof including mixtures of these or a pharmaceutically acceptable salt thereof.
 - 2. A compound which is selected from
 - $3-\{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethoxyphenyl) ure idomethyl] benzoylamino\}-propionic acid$
 - 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}propionic acid

20

į.

- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid
- $3-\{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-bromophenyl)ure idomethyl] benzoylamino\} propionic acid$
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
 - $3-\{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl) ureidomethyl] benzoylamino\} propionic acid$
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid
 - $3-\{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl) ureidomethyl] benzoylamino\} propionic acid$
 - 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid
 - $3-\{4-[3-[1(S)-(4-Chlorophenyl)ethyl]-1-(4-cyclohexylphenyl) ure idomethylbenzoylamino\}-propionic acid$
- 30 3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohexylphenyl)ureidomethyl]benzoylamino}propionic acid
 - $3-\{4-[1-(4-cyclohexylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ure idomethyl] benzoylamino\} propionic acid$
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohexylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid
 - 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoyl-45 amino}propionic acid
 - $3-\{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino\} propionic acid$
- 50 3-{4-[3-(3-cyano-5-trifluoromethylphenyl)-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoylamino}propionic acid

15

30

or any optical or geometric isomer or tautomeric form thereof including mixtures of these or a pharmaceutically acceptable salt thereof.

- 3. A compound according to claim 1 or 2 for use as a medicament.
- 4. A pharmaceutical composition comprising at least one compound according to claim 1 together with one or more pharmaceutically acceptable carriers or excipients.
- 5. A pharmaceutical composition according to claim 4 in unit dosage form, said composition comprising from about 0.05 mg to about 1000 mg of the compound according to claim 1.
 - 6. Use of a compound according to claim 1 or 2 for the preparation of a medicament for the treatment and/or prevention of disorders or diseases, wherein a glucagon antagonistic action is beneficial.
 - 7. Use of a compound according to claim 1 or 2 for the preparation of a medicament for the treatment and/or prevention of glucagon-mediated disorders and diseases.
- 8. Use of a compound according to claim 1 or 2 for the preparation of a medicament for the treatment and/or prevention of hyperglycemia.
 - 9. Use of a compound according to claim 1 or 2 for the preparation of a medicament for lowering blood glucose in a mammal.
- 25 10. Use of a compound according to claim 1 or 2 for the preparation of a medicament for the treatment and/or prevention of IGT.
 - 11. Use of a compound according to claim 1 or 2 for the preparation of a medicament for the treatment and/or prevention of Type 2 diabetes.
 - 12. Use according to claim 11 for the preparation of a medicament for the delaying or prevention of the progression from IGT to Type 2 diabetes.
- 13. Use according to claim 11 for the preparation of a medicament for the delaying or pre vention of the progression from non-insulin requiring Type 2 diabetes to insulin requiring
 Type 2 diabetes.

25

- 14. Use of a compound according to claim 1 or 2 for the preparation of a medicament for the treatment and/or prevention of Type 1 diabetes.
- 5 15. Use of a compound according to claim 1 or 2 for the preparation of a medicament for the treatment and/or prevention of obesity.
 - 16. Use according to any one of the claims 6 to 15 in a regimen which comprises treatment with a further antidiabetic agent.
 - 17. Use according to any one of the claims 6 to 16 in a regimen which comprises treatment with a further antiobesity agent.
- 18. Use according to any one of the claims 6 to 17 in a regimen which additionally comprises treatment with an antihypertensive agent.
 - 19. A method for the treatment or prevention of disorders or diseases, wherein a glucagon antagonistic action is beneficial, said method comprising administering to a subject in need thereof an effective amount of a compound according to claim 1.
 - 20. The method according to claim 19, wherein the effective amount of the compound is in the range of from about 0.05 mg to about 2000 mg per day.
 - 21. The method according to claim 19, wherein the effective amount of the compound is in the range of from about 0.1 mg to about 1000 mg per day.
 - 22. The method according to claim 19, wherein the effective amount of the compound is in the range of from about 0.5 mg to about 500 mg per day.
- 30 23. A method for the treatment or prevention of glucagon-mediated disorders and diseases, said method comprising administering to a subject in need thereof an effective amount of a compound according to claim 1.
- 24. A method for the treatment or prevention of hyperglycemia, said method comprising ad 35 ministering to a subject in need thereof an effective amount of a compound according to claim 1.

20

30

- 25. A method for lowering blood glucose in a mammal, said method comprising administering to said mammal an effective amount of a compound according to claim 1.
- 5 26. A method for the treatment or prevention of impaired glucose tolerance, said method comprising administering to a subject in need thereof an effective amount of a compound according to claim 1.
- 27. A method for the treatment or prevention of Type 2 diabetes, said method comprising administering to a subject in need thereof an effective amount of a compound according to claim 1.
 - 28. A method for delaying or preventing the progression from impaired glucose tolerance to Type 2 diabetes, said method comprising administering to a subject in need thereof an effective amount of a compound according to claim 1.
 - 29. A method for delaying or preventing the progression from non-insulin requiring Type 2 diabetes to insulin requiring Type 2 diabetes, said method comprising administering to a subject in need thereof an effective amount of a compound according to claim 1.
 - 30. A method for the treatment or prevention of Type 1 diabetes, said method comprising administering to a subject in need thereof an effective amount of a compound according to claim 1.
- 31. A method for the treatment or prevention of obesity, said method comprising administering to a subject in need thereof an effective amount of a compound according to claim 1.
 - 32. The method according to claim 19, said method further comprising administering to a subject in need thereof an antidiabetic agent.
 - 33. The method according to claim 19, said method further comprising administering to a subject in need thereof an antiobesity agent.
 - 34. The method according to claim 19, said method further comprising administering to a subject in need thereof an antihypertensive agent.

- 35. A pharmaceutical composition according to claim 4 in unit dosage form, said composition comprising from about 0.1 mg to about 500 mg of the compound according to claim 1.
- 5 36. A pharmaceutical composition according to claim 4 in unit dosage form, said composition comprising from about 0.5 mg to about 200 mg of the compound according to claim 1.